

Scheda di dati di sicurezza

Ai sensi del regolamento 1907/2006/CE, Articolo 31, Ultimo Amendamento

Revisione: 28/01/2016
Stampato il: 28/01/2016

SEZIONE 01: Identificazione della sostanza o della miscela e della società/impresa

1. Identificatore del prodotto
 - Denominazione commerciale:
RG15-12142 COCONUT
2. Usi pertinenti identificati della sostanza o miscela e usi sconsigliati
 - Utilizzazione della Sostanza / del Preparato
ingrediente aromatico
Solo per uso industriale
3. Informazioni sul fornitore della scheda di dati di sicurezza:
LAMP A S.p.A. - Via G. Rossa 53/55, 46019 Viadana (MN) - Tel.: +39 0375 820700 - E-mail: info@lamp.a.it
 - Produttore/fornitore:
ROBERTET FLAVORS & FRAGRANCES (BEIJING) CO., LTD.
Address: NO. 4, Leyuan Nanyi Street, Yanqi Industrial Development
Zone, Huairou District, Beijing, P.R. China - Post code: 101407
TEL: 0086-10-61669240 (during normal opening times 8:30-17:30) - FAX: 0086-10-61667078
E-mail: legis@robertet.cn
4. Informazioni fornite da:
ORFILA (INRS)
 - Numero telefonico di emergenza:
+ 33 (0)1 45 42 59 59 (24h/24h ; 7/7)

SEZIONE 02: Identificazione dei pericoli

1. Classificazione della sostanza o della miscela
 - Classificazione secondo il regolamento (CE) n. 1272/2008



GHS07

Skin Sens. 1 - H317 Può provocare una reazione allergica cutanea.



GHS09

Aquatic Chronic 2 - H411 Tossico per gli organismi acquatici con effetti di lunga durata.

- Ulteriori dati:
Testo integrale delle frasi R e H: vedi paragrafo 16
2. Elementi dell'etichetta
 - Etichettatura secondo il regolamento (CE) n. 1272/2008



GHS07



GHS09

- Avvertenza
Attenzione
- Componenti pericolosi che ne determinano l'etichettatura:
Ethyl methylphenylglycidate / d-limonene ((R)-p-mentha-1,8-diène) /
Allyl cyclohexylpropionate / dl-Citronellol / LILIAL (p-tert-Butyl-
alpha-methylhydrocinnamic aldehyde)
- Indicazioni di pericolo
H317 Può provocare una reazione allergica cutanea.
H411 Tossico per gli organismi acquatici con effetti di lunga durata.
- Consigli di prudenza
P261 Evitare di respirare la polvere/i fumi/i gas/la nebbia/i vapori/ gli aerosol.
P272 Gli indumenti da lavoro contaminati non devono essere portati fuori dal luogo di lavoro.
P273 Non disperdere nell'ambiente.

(continua a pagina 2)

Denominazione : RG15-12142 COCONUT

(Segue da pagina 1)

P280 Indossare guanti/indumenti protettivi/Proteggere gli occhi/il viso.
P302+P352 IN CASO DI CONTATTO CON LA PELLE: Lavare abbondantemente con acqua.
P501 Smaltire il prodotto/recipiente in conformità con le disposizioni locali / regionali / nazionali / internazionali.

3. Altri pericoli

- Risultati della valutazione PBT e vPvB
- PBT:
Non applicabile.
- vPvB:
Non applicabile.

SEZIONE 03: Composizione/informazioni sugli ingredienti

- Caratteristiche chimiche
- Sostanze pericolose:

Numero CAS	denominazione simbolo frasi R	%
84-66-2	Diethyl phthalate Numeri CE: 201-550-6 sostanza con un limite comunitario di esposizione sul posto di lavoro.	20,00- 30,00
77-83-8	Ethyl methylphenylglycidate Numeri CE: 201-061-8 Skin Sens. 1B - H317; Aquatic Chronic 2 - H411	10,00- 20,00
123-68-2	Allyl hexanoate (Allyl caproate) Numeri CE: 204-642-4 Acute Tox. 3 - H301, Acute Tox. 3 - H311, Acute Tox. 3 - H331; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	5,00- 10,00
1222-05-5	galaxolide Numeri CE: 214-946-9 Aquatic Chronic 1 - H410	5,00- 10,00
78-70-6	Linalool Numeri CE: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,00- 5,00
5989-27-5	(R)-p-menta-1,8-diene Numeri CE: 227-813-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	1,00- 5,00
121-33-5	Vanillin Numeri CE: 204-465-2 Eye Irrit. 2 - H319	1,00- 5,00
104-67-6	gamma-Undecalactone Numeri CE: 203-225-4 Aquatic Chronic 3 - H412	1,00- 5,00
2705-87-5	Allyl cyclohexylpropionate Numeri CE: 220-292-5 Acute Tox. 4 - H302, Acute Tox. 4 - H312, Acute Tox. 4 - H332, Skin Sens. 1 - H317; Aquatic Chronic 1 - H410	1,00- 5,00
10094-34-5	Dimethyl benzyl carbinyol butyrate (alpha-	1,00- 5,00 (continua a pagina 3)

Denominazione : RG15-12142 COCONUT

(Segue da pagina 2)

	<i>alpha-Dim ethylphenethyl butyrate)</i>	
	<i>Numeri CE: 233-221-8</i>	
	<i>Aquatic Chronic 2 - H411</i>	
106-22-9	<i>dl-Citronellol</i>	1,00- 5,00
	<i>Numeri CE: 203-375-0</i>	
	<i>Skin Irrit. 2 - H315, Eye Irrit. 2 -</i>	
	<i>H319, Skin Sens. 1B - H317</i>	
80-54-6	<i>LILIAL (p-tert-Butyl-alpha-methylhydrocinnamic aldehyde)</i>	0,10- 1,00
	<i>Numeri CE: 201-289-8</i>	
	<i>Repr. 2</i>	
	<i>Acute Tox. 4 - H302, Skin Irrit. 2 -</i>	
	<i>H315, Skin Sens. 1B - H317; Repr. 2 -</i>	
	<i>H361; Aquatic Chronic 2 - H411</i>	
141-78-6	<i>acetato di etile</i>	0,10- 1,00
	<i>Numeri CE: 205-500-4</i>	
	<i>Flam. Liq. 2 - H225; Eye Irrit.</i>	
	<i>2 - H319-EUH066, STOT SE 3 - H336</i>	
123-92-2	<i>acetato di isopentile</i>	0,10- 1,00
	<i>Numeri CE: 204-662-3</i>	
	<i>Flam. Liq. 3 - H226</i>	
128-37-0	<i>Butylated hydroxytoluene</i>	0,10- 1,00
	<i>Numeri CE: 204-881-4</i>	
	<i>Aquatic Chronic 1 - H410</i>	
150-84-5	<i>Citronellyl acetate</i>	0,10- 1,00
	<i>Numeri CE: 205-775-0</i>	
	<i>Skin Irrit. 2 - H315; Aquatic</i>	
	<i>Chronic 2 - H411</i>	
16409-43-1	<i>ROSE OXIDE (Tetrahydro-4-methyl-2-(2-methylpropen-1-yl)pyran)</i>	0,01- 0,10
	<i>Numeri CE: 240-457-5</i>	
	<i>Repr. 2</i>	
	<i>Skin Irrit. 2 - H315, Eye Irrit. 2 -</i>	
	<i>H319; Repr. 2 - H361</i>	

SEZIONE 04: Misure di primo soccorso

- Descrizione delle misure di primo soccorso
 - Indicazioni generali:
Consultare immediatamente il medico.
 - Inalazione:
Portare in zona ben areata, in caso di disturbi consultare il medico.
 - Contatto con la pelle:
Lavare immediatamente con acqua e sapone sciacquando accuratamente.
 - Contatto con gli occhi:
Lavare con acqua corrente per alcuni minuti tenendo le palpebre ben aperte.
 - Ingestione:
Se il dolore persiste consultare il medico.
- Indicazioni per il medico:
 - Principali sintomi ed effetti, sia acuti che ritardati
Non sono disponibili altre informazioni.
- Indicazione della eventuale necessità di consultare immediatamente un medico e di trattamenti speciali

(continua a pagina 4)

Scheda di dati di sicurezza

Ai sensi del regolamento 1907/2006/CE, Articolo 31, Ultimo Amendamento

Revisione: 28/01/2016
Stampato il: 28/01/2016

Denominazione : RG15-12142 COCONUT

Non sono disponibili altre informazioni.

(Segue da pagina 3)

SEZIONE 05: Misure antincendio

1. Mezzi di estinzione
 - Mezzi di estinzione idonei:
CO₂, sabbia, polvere estinguente prima. In assenza di qualsiasi altro mezzo di spegnimento, acqua può essere usato come agente estinguente.
 - Mezzi di estinzione inadatti per motivi di sicurezza:
Non applicabile
2. Pericoli speciali derivanti dalla sostanza o dalla miscela
Non sono disponibili altre informazioni.
3. Raccomandazioni per gli addetti all'estinzione degli incendi
Nessun consiglio specifico

SEZIONE 06: Misure in caso di rilascio accidentale

1. Precauzioni personali, dispositivi di protezione e procedure in caso di emergenza
Indossare equipaggiamento protettivo. Allontanare le persone non equipaggiate.
2. Precauzioni ambientali:
Impedire infiltrazioni nella fognatura/nelle acque superficiali/nelle acque freatiche.
3. Metodi e materiali per il contenimento e per la bonifica:
Raccogliere il liquido con materiale assorbente (sabbia, tripoli, legante di acidi, legante universale, segatura).
Smaltimento del materiale contaminato conformemente al punto 13.
Provvedere ad una sufficiente areazione.
4. Riferimento ad altre sezioni
Per informazioni relative allo smaltimento vedere Capitolo 13.

SEZIONE 07: Manipolazione e immagazzinamento

1. Manipolazione:
 - Precauzioni per la manipolazione sicura
Evitare il contatto con la pelle e gli occhi Indossare dispositivi di protezione (guanti, occhiali ...)
 - Indicazioni in caso di incendio ed esplosione:
Tenere lontano da fonti di calore, non fumare.
 - Condizioni per l'immagazzinamento sicuro, comprese eventuali incompatibilità
2. Stoccaggio:
 - Requisiti dei magazzini e dei recipienti:
Evitare l'esposizione a temperature estreme. Evitare il contatto prolungato con alcune plastiche (PVC..)
 - Ulteriori indicazioni relative alle condizioni di immagazzinamento:
Nessuno.

Usi finali specifici
Non sono disponibili altre informazioni.

SEZIONE 08: Controllo dell'esposizione/protezione individuale

1. Parametri di controllo
 - Componenti i cui valori limite devono essere tenuti sotto controllo negli ambienti di lavoro:
- | Numero CAS | della sostanza | |
|------------|------------------------|-------------------|
| 84-66-2 | Diethyl phthalate | 20,00- 30,00 % |
| VME | | |
| | Valore a lungo termine | 5 |
| 141-78-6 | acetato di etile | mg/m ³ |
| VME | | 0,10- 1,00 % |

(continua a pagina 5)

Scheda di dati di sicurezza

Ai sensi del regolamento 1907/2006/CE, Articolo 31, Ultimo Amendamento

Revisione: 28/01/2016
Stampato il: 28/01/2016

Denominazione : RG15-12142 COCONUT

(Segue da pagina 4)

Valore a lungo termine	1400	mg/m3
	400	ppm
123-92-2 acetato di isopentile		0,10- 1,00 %
VME		
Valore a breve termine	540	mg/m3
	100	ppm
Valore a lungo termine	270	mg/m3
	50	ppm
128-37-0 Butylated hydroxytoluene		0,10- 1,00 %
VME		
Valore a lungo termine	10	mg/m3

- Ulteriori indicazioni:
Le liste valide alla data di compilazione sono state usate come base.

2. Controlli dell'esposizione

- Mezzi protettivi individuali:
 - Norme generali protettive e di igiene del lavoro:
Evitare il contatto con gli occhi e la pelle.
 - Maschera protettiva: Non necessario.
 - Guanti protettivi: Guanti protettivi
 - Occhiali protettivi: Occhiali protettivi
 - Tuta protettiva: Tuta protettiva

SEZIONE 09: Proprietà fisiche e chimiche

Informazioni sulle proprietà fisiche e chimiche fondamentali

Indicazioni generali

Aspetto:

Forma:	Liquido
Odore:	Caratteristico
valori di pH:	Non definito.

Cambiamento di stato

Temperatura di ebollizione/ambito di ebollizione:	> 35 °C
--	---------

Punto di infiammabilità:	62 °C
---------------------------------	-------

Infiammabilità (solido, gassoso):	Non applicabile.
--	------------------

Temperatura di accensione:

Temperatura di decomposizione:	Non definito.
---------------------------------------	---------------

Autoaccensione:	Non definito.
------------------------	---------------

Pericolo di esplosione:	Non definito.
--------------------------------	---------------

Limiti di infiammabilità:

Inferiore:	Non definito.
-------------------	---------------

Superiore:	Non definito.
-------------------	---------------

Tensione di vapore:	Non definito.
----------------------------	---------------

Densità:	Non definito.
-----------------	---------------

Solubilità in/Miscibilità con

acqua:	Non definito.
---------------	---------------

Coefficiente di distribuzione (n-Octanol acqua):	Non definito.
---	---------------

Viscosità:

Dinamica:	Non definito.
------------------	---------------

Cinematica:	Non definito.
--------------------	---------------

Altre indicazioni	Non applicabile
--------------------------	-----------------

F

(continua a pagina 6)

Scheda di dati di sicurezza
Ai sensi del regolamento 1907/2006/CE, Articolo 31, Ultimo Amendamento

Revisione: 28/01/2016
Stampato il: 28/01/2016

Denominazione : RG15-12142 COCONUT

(Segue da pagina 5)

SEZIONE 10: Stabilità e reattività

1. Reattività
Nessuna reazione noto con l'acqua
2. Stabilità chimica
buona stabilità in condizioni di utilizzo menzionata al punto 7 e 10
3. Possibilità di reazioni pericolose
Reazioni con ossidanti forti.
4. Condizioni da evitare
Evitare temperature in prossimità del punto di infiammabilità (cfr. sezione 9). Evitare il contatto con agenti ossidanti.
5. Materiali incompatibili:
Non sono disponibili altre informazioni.
6. Prodotti di decomposizione pericolosi:
Non sono noti prodotti di decomposizione pericolosi.

SEZIONE 11: Informazioni tossicologiche

1. Informazioni sugli effetti tossicologici
Questa preparazione non è stata testata in studi tossicologici come tale, ma è composta di sostanze con una bibliografia tossicologica stabilita. Le sostanze prese in considerazione per determinare gli effetti tossicologici sono elencati nella sezione 3.
- Tossicità acuta:
Valori LD/LC50 rilevanti per la classificazione:
RG15-12142 COCONUT
Orale, LD50: 2866,48 mg/kg
Cutaneo, LD50: 3200,00 mg/kg
Per inalazione, LC50/4h: 31,43 mg/l

SEZIONE 12: Informazioni ecologiche

1. Tossicità
Questa preparazione non è stato testato in studi ecotossicologici come tale, ma è composta di sostanze con una bibliografia ecotossicologica stabilita. Le sostanze prese in considerazione per determinare gli effetti ecotossicologici sono elencati nella sezione 3.
2. Persistenza e degradabilità
 - Potenziale di bioaccumulo
 - Mobilità nel suolo
 - Risultati della valutazione PBT e vPvB
 - PBT:
Non applicabile.
 - vPvB:
Non applicabile.

SEZIONE 13: Considerazioni sullo smaltimento

1. Metodi di trattamento dei rifiuti
 - Consigli:
Il prodotto deve essere sottoposto a trattamento speciale in osservanza delle disposizioni amministrative.
 - Imballaggi non puliti:
 - Consigli:
Smaltimento in conformità con le disposizioni amministrative.

F

(continua a pagina 7)

Scheda di dati di sicurezza

Ai sensi del regolamento 1907/2006/CE, Articolo 31, Ultimo Amendamento

Revisione: 28/01/2016
Stampato il: 28/01/2016

Denominazione : RG15-12142 COCONUT

(Segue da pagina 6)

SEZIONE 14: Informazioni sul trasporto

- Numero ONU

ADR UN3082

IMDG UN3082

IATA UN3082

- Nome di spedizione dell'ONU

ADR 3082 MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (ETHYL METHYLPHENYLGLYCIDATE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYL METHYLPHENYLGLYCIDATE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYL METHYLPHENYLGLYCIDATE)

- Classi di pericolo connesso al trasporto

ADR

Classe

9 (M6) Materie ed oggetti pericolosi diversi

Etichetta



IMDG

Class

9 Materie ed oggetti pericolosi diversi

Label



IATA

Class

9 Materie ed oggetti pericolosi diversi

Label



- Gruppo di imballaggio

ADR III

IMDG III

IATA III

- Pericoli per l'ambiente:

Marine pollutant: Sì

- Precauzioni speciali per gli utilizzatori

Attenzione: Materie ed oggetti pericolosi diversi

Numero Kemler: 90

Numero EMS: F-A,S-F

- Trasporto di rinfuse secondo l'allegato II di MARPOL 73/78 ed il codice IBC

Non applicabile.

- Trasporto/ulteriori indicazioni:

Quantità esenti (EQ): E1

Quantità limitate (LQ): 5L

Categoria di trasporto: 3

Codice di restrizione in galleria: E

IMDG

Limited quantities (LQ): 5L

(continua a pagina 8)

Scheda di dati di sicurezza

Ai sensi del regolamento 1907/2006/CE, Articolo 31, Ultimo Amendamento

Revisione: 28/01/2016
Stampato il: 28/01/2016

Denominazione : RG15-12142 COCONUT

(Segue da pagina 7)

Excepted quantities (EQ)

E1

- UN "Model Regulation":
UN 3082 MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (ETHYL METHYLPHENYLGlyCIDATE), 9, III

SEZIONE 15: Informazioni sulla regolamentazione

1. Norme e legislazione su salute, sicurezza e ambiente specifiche per la sostanza o la miscela
 - Disposizioni nazionali:
 - Classe di pericolosità per le acque:
Pericolosità per le acque classe 2 (WGK2) (Autoclassificazione): pericoloso.
2. Valutazione della sicurezza chimica:
Una valutazione della sicurezza chimica non è stata effettuata.

SEZIONE 16: Altre informazioni

I dati sono riportati sulla base delle nostre conoscenze attuali, non rappresentano tuttavia alcuna garanzia delle caratteristiche del prodotto e non motivano alcun rapporto giuridico contrattuale.

• Frasi rilevanti

EUH066	L'esposizione ripetuta può provocare secchezza o screpolature della pelle.
H225	Liquido e vapori facilmente infiammabili.
H226	Liquido e vapori infiammabili.
H301	Tossico se ingerito.
H302	Nocivo se ingerito.
H304	Può essere letale in caso di ingestione e di penetrazione nelle vie respiratorie.
H311	Tossico per contatto con la pelle.
H312	Nocivo per contatto con la pelle.
H315	Provoca irritazione cutanea.
H317	Può provocare una reazione allergica cutanea.
H319	Provoca grave irritazione oculare.
H331	Tossico se inalato.
H332	Nocivo se inalato.
H336	Può provocare sonnolenza o vertigini.
H361	Sospettato di nuocere alla fertilità o al feto.
H400	Molto tossico per gli organismi acquatici.
H410	Molto tossico per gli organismi acquatici con effetti di lunga durata.
H411	Tossico per gli organismi acquatici con effetti di lunga durata.
H412	Nocivo per gli organismi acquatici con effetti di lunga durata.

2. Scheda rilasciata da:
Servizio Legislazione / Regulatory Affairs
3. Abbreviazioni e acronimi:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
4. Fonti
RIFM Database
Informazioni fornitori
File di registrazione REACH
IFRA/IOFI Labelling Manual

(continua a pagina 9)

Scheda di dati di sicurezza

Ai sensi del regolamento 1907/2006/CE, Articolo 31, Ultimo Amendamento

Revisione: 28/01/2016
Stampato il: 28/01/2016

Denominazione : RG15-12142 COCONUT

- | |
|---|
| <ul style="list-style-type: none">• * Dati modificati rispetto alla versione precedente |
|---|

(Segue da pagina 8)

SECTION 01: Identification of the substance/mixture and of the company/undertaking

1. Product identifier
 - Trade name:
RG15-12142 COCONUT
2. Relevant identified uses of the substance or mixture and uses advised against
 - Application of the substance / the preparation
Aromatic ingredient(s).
Industrial use only.
3. Details of the supplier of the safety data sheet:
LAMPAS S.p.A. - Via G. Rossa 53/55, 46019 Viadana (MN) - Tel.: +39 0375 820700 - E-mail: info@lampas.it
 - Manufacturer/Supplier
ROBERTET FLAVORS & FRAGRANCES (BEIJING) CO., LTD.
Address: NO. 4, Leyuan Nanyi Street, Yanqi Industrial Development
Zone, Huairou District, Beijing, P.R. China - Post code: 101407
TEL: 0086-10-61669240 (during normal opening times 8:30-17:30) - FAX: 0086-10-61667078
E-mail: legis@robertet.cn
4. Further information obtainable from:
 - ORFILA (INRS)
 - Emergency telephone number:
+ 33 (0)1 45 42 59 59 (24h/24h ; 7/7)

SECTION 02: Hazards identification

1. Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

- Additional information:
Full text of R and H statements: see section 16
2. Label elements
 - Labelling according to Regulation (EC) No 1272/2008



GHS07



GHS09

- Signal word
Warning
- Hazard-determining components of labelling:
Ethyl methylphenylglycidate / d-limonene ((R)-p-mentha-1,8-diène) /
Allyl cyclohexylpropionate / dl-Citronellol / LILIAL (p-tert-Butyl-
alpha-methylhydrocinnamic aldehyde)
- Hazard statements
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.

(continued on page 2)

PRODUCT : RG15-12142 COCONUT

(continued of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

3. Other hazards

- Results of PBT and vPvB assessment
- PBT:
Not applicable.
- vPvB:
Not applicable.

SECTION 03: Composition/information on ingredients

- Chemical characterization
- Dangerous components:

CAS NO.	Description Index R-phrases	%
84-66-2	Diethyl phthalate EC number: 201-550-6 substance with a Community workplace exposure limit.	20,00- 30,00
77-83-8	Ethyl methylphenylglycidate EC number: 201-061-8 Skin Sens. 1B - H317; Aquatic Chronic 2 - H411	10,00- 20,00
123-68-2	Allyl hexanoate (Allyl caproate) EC number: 204-642-4 Acute Tox. 3 - H301, Acute Tox. 3 - H311, Acute Tox. 3 - H331; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	5,00- 10,00
1222-05-5	GALAXOLIDE (1,3,4,6,7,8-Hexahydro-4,6,6,7,8, 8-hexa methylcyclopenta-gamma-2-benzopyran) EC number: 214-946-9 Aquatic Chronic 1 - H410	5,00- 10,00
78-70-6	Linalool EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,00- 5,00
5989-27-5	d-limonene ((R)-p-mentha-1,8-diène) EC number: 227-813-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	1,00- 5,00
121-33-5	Vanillin EC number: 204-465-2 Eye Irrit. 2 - H319	1,00- 5,00
104-67-6	gamma-Undecalactone EC number: 203-225-4 Aquatic Chronic 3 - H412	1,00- 5,00
2705-87-5	Allyl cyclohexylpropionate EC number: 220-292-5 Acute Tox. 4 - H302, Acute Tox. 4 - H312, Acute Tox. 4 - H332, Skin Sens. 1 - H317; Aquatic Chronic 1 - H410	1,00- 5,00

(continued on page 3)

PRODUCT : RG15-12142 COCONUT

(continued of page 2)

10094-34-5	Dimethyl benzyl carbinyol butyrate (alpha-alpha-Dim ethylphenethyl butyrate) EC number: 233-221-8 Aquatic Chronic 2 - H411	1,00- 5,00
106-22-9	dl-Citronellol EC number: 203-375-0 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	1,00- 5,00
80-54-6	LILIAL (p-tert-Butyl-alpha-methylhydrocinnamic aldehyde) EC number: 201-289-8 Repr. 2 Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Repr. 2 - H361; Aquatic Chronic 2 - H411	0,10- 1,00
141-78-6	ethyl acetate EC number: 205-500-4 Flam. Liq. 2 - H225; Eye Irrit. 2 - H319-EUH066, STOT SE 3 - H336	0,10- 1,00
123-92-2	isopentyl acetate EC number: 204-662-3 Flam. Liq. 3 - H226	0,10- 1,00
128-37-0	Butylated hydroxytoluene EC number: 204-881-4 Aquatic Chronic 1 - H410	0,10- 1,00
150-84-5	Citronellyl acetate EC number: 205-775-0 Skin Irrit. 2 - H315; Aquatic Chronic 2 - H411	0,10- 1,00
16409-43-1	ROSE OXIDE (Tetrahydro-4-methyl-2-(2-methylpropen- 1-yl)pyran) EC number: 240-457-5 Repr. 2 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319; Repr. 2 - H361	0,01- 0,10

SECTION 04: First aid measures

- Description of first aid measures
 - General information:
Seek immediate medical advice.
 - After inhalation:
Supply fresh air; consult doctor in case of complaints.
 - After skin contact:
Immediately wash with water and soap and rinse thoroughly.
 - After eye contact:
Rinse opened eye for several minutes under running water.
 - After swallowing:
If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed
No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

(continued on page 4)

PRODUCT : RG15-12142 COCONUT

No further relevant information available.

(continued of page 3)

SECTION 05: Firefighting measures

1. Extinguishing media
 - Suitable extinguishing agents:
CO₂, sand, extinguishing powder first. In the absence of any other means of extinguishing, water can be used as an extinguishing agent.
 - For safety reasons unsuitable extinguishing agents:
Non applicable
2. Special hazards arising from the substance or mixture
No further relevant information available.
3. Advice for firefighters
No specific advice

SECTION 06: Accidental release measures

1. Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
2. Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
3. Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
4. Reference to other sections
See Section 13 for disposal information.

SECTION 07: Handling and storage

1. Handling:
 - Precautions for safe handling
Avoid contact with skin and eyes. Wear appropriate protective equipments (gloves, glasses ...)
 - Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
 - Conditions for safe storage, including any incompatibilities
2. Storage:
 - Requirements to be met by storerooms and receptacles:
Avoid exposure to extreme temperatures. Avoid prolonged contact with certain plastic materials (PVC..)
 - Further information about storage conditions:
None.

Specific end use(s)
No further relevant information available.

SECTION 08: Exposure controls/personal protection

1. Control parameters
 - Ingredients with limit values that require monitoring at the workplace:

CAS No.	Designation of material	
84-66-2	Diethyl phthalate	20,00- 30,00 %
VME		
	Long-term value	5
141-78-6	ethyl acetate	mg/m ³
VME		0,10- 1,00 %

(continued on page 5)

PRODUCT : RG15-12142 COCONUT

(continued of page 4)

Long-term value		1400	mg/m3
		400	ppm
123-92-2	isopentyl acetate		0,10- 1,00 %
VME			
Short-term value		540	mg/m3
		100	ppm
Long-term value		270	mg/m3
		50	ppm
128-37-0	Butylated hydroxytoluene		0,10- 1,00 %
VME			
Long-term value		10	mg/m3

- Additional information:
The lists valid during the making were used as basis.

2. Exposure controls

- Personal protective equipment:
 - General protective and hygienic measures:
Avoid contact with the eyes and skin.
 - Respiratory protection: Not required.
 - Protection of hands: Protective gloves
 - Eye protection: Safety glasses
 - Body protection: Protective work clothing

SECTION 09: Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Odour:	Characteristic
pH-value:	Not determined.

Change in condition

Boiling point/Boiling range:	> 35 °C
-------------------------------------	---------

Flash point:	62 °C
---------------------	-------

Flammability (solid, gaseous):	Not applicable.
---------------------------------------	-----------------

Ignition temperature:

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

Self-igniting:	Not determined.
-----------------------	-----------------

Danger of explosion:	Not determined.
-----------------------------	-----------------

Explosion limits:

Lower:	Not determined.
---------------	-----------------

Upper:	Not determined.
---------------	-----------------

Vapour pressure:	Not determined.
-------------------------	-----------------

Density:	Not determined.
-----------------	-----------------

Solubility in / Miscibility with

water:	Not determined.
---------------	-----------------

Partition coefficient (n-octanol/water):	Not determined.
---	-----------------

Viscosity:

Dynamic:	Not determined.
-----------------	-----------------

Kinematic:	Not determined.
-------------------	-----------------

Additional information	Non applicable
-------------------------------	----------------

F

(continued on page 6)

PRODUCT : RG15-12142 COCONUT

(continued of page 5)

SECTION 10: Stability and reactivity

1. Reactivity
No known reaction with water
2. Chemical stability
Good stability at conditions of use mentioned in point 7 and 10
3. Possibility of hazardous reactions
Reacts with strong oxidising agents.
4. Conditions to avoid
Avoid temperatures near the flash point (see Section 9). Avoid contact with oxidizing agents.
5. Incompatible materials:
No further relevant information available.
6. Hazardous decomposition products:
No dangerous decomposition products known.

SECTION 11: Toxicological information

1. Information on toxicological effects
This preparation has not been subjected to toxicological testing as such, but it is composed of substances with an established toxicological bibliography. Substances taken into account in determining the toxicological effects of this preparation are listed in Section 3.
 - Acute toxicity:
LD/LC50 values relevant for classification:
RG15-12142 COCONUT
Oral, LD50: 2866,48 mg/kg
Dermal, LD50: 3200,00 mg/kg
Inhalative, LC50/4h: 31,43 mg/l

SECTION 12: Ecological information

1. Toxicity
This preparation has not been subjected to ecotoxicological testing as such, but it is composed of substances with an established ecotoxicological bibliography. Substances taken into account in determining the ecotoxicological effects of this preparation are listed in Section 3.
2. Persistence and degradability
 - Bioaccumulative potential
 - Mobility in soil
 - Results of PBT and vPvB assessment
 - PBT:
Not applicable.
 - vPvB:
Not applicable.

SECTION 13: Disposal considerations

1. Waste treatment methods
 - Recommendation
Must be specially treated adhering to official regulations.
 - Uncleaned packaging:
 - Recommendation:
Disposal must be made according to official regulations.

F

(continued on page 7)

PRODUCT : RG15-12142 COCONUT

(continued of page 6)

SECTION 14: Transport information

- UN-Number

ADR UN3082

IMDG UN3082

IATA UN3082

- UN proper shipping name

ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYL METHYLPHENYLGLYCIDATE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYL METHYLPHENYLGLYCIDATE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYL METHYLPHENYLGLYCIDATE)

- Transport hazard class(es)

ADR 9 (M6) Miscellaneous dangerous substances and articles.

Class

Label



IMDG

Class

Label

9 Miscellaneous dangerous substances and articles.



IATA

Class

Label

9 Miscellaneous dangerous substances and articles.



- Packing group

ADR III

IMDG III

IATA III

- Environmental hazards:

Marine pollutant: Yes

- Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Danger code (Kemler): 90

EMS Number: F-A,S-F

- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.

- Transport/Additional information:

Excepted quantities (EQ): E1

Limited quantities (LQ): 5L

Transport category 3

Tunnel restriction code E

IMDG

Limited quantities (LQ): 5L

(continued on page 8)

PRODUCT : RG15-12142 COCONUT

(continued of page 7)

Excepted quantities (EQ)

E1

- UN "Model Regulation":
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYL METHYLPHENYLGlyCIDATE), 9, III

SECTION 15: Regulatory information

1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - National regulations:
 - Waterhazard class:
Water hazard class 2 (Self-assessment): hazardous for water.
2. Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

1. Relevant phrases

EUH066	Repeated exposure may cause skin dryness or cracking.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

2. Department issuing MSDS:

Legislation / Regulatory Affair Department

3. Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

4. Sources

RIFM Database
Suppliers Information
REACH registration dossier
IFRA/IOFI Labelling Manual

(continued on page 9)

PRODUCT : RG15-12142 COCONUT

(continued of page 8)

- * Data compared to the previous version altered.